

TSK-950 (Long Lenz CCD)



- **PERFORMANCE**

CPU : 32Bit
Scan rate : 200 Scans per Second
Resolution : 4 mil (0.1mm)
Photo Sensor : 3648 Pixel Linear CCD
Illumination : 660nm Visible Red LEDES
Field Width : 120mm (15mil)
Depth of field : 40~230mm
Symbologies : UPC/EAN/JAN, Code39, Interleaved 2 of 5 Standard 2 of 5, Matrix 2 of 5, Industrial 2 of 5, Codabar, Code128, MSI, Plessey, Code93, Code 3 of 5 (Korean Postage)
Interface : Standard RS-232C, Keyboard Wedge, USB, SERIAL USB

- **MECHANICAL**

Dimensions : 75mm X 51mm X 170mm
Weight : 120g
Body Material : ABS Plastic

- **ELECTRICAL**

Power Supply : 5VDC \pm 10%
Power Consumption : 28mA ~ 120mA

- **DURABILITY**

Trigger Switch : 1 million Actuations
Cable : 100,000 Bending at 90 degree with 500g weight
Shock Resistance : 1 meter drop onto Concrete Surface

- **ENVIRONMENTAL**

Temperature : Operating : 0 ~ 50°C, Storage : -10 ~ 60°C
Humidity : Operating : 10% ~ 80%, Storage : 10% ~ 95%
Mechanical Shock : Functional after 1.5m (5ft) drops
ESD Protection : Functional after 15kV discharge